

Work Order ID 137403***137403***

Page 1

Item ID: D3882-1-130

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Extrusion "I" Beam

Start Date: 9/28/2015 Start Qty: 60.00

60

Cust Item ID:

Required Date: 9/28/2015 Req'd Qty: 60.00

60

Customer:

Reference:

Approvals: Process Plan: MLS Date: SEP 28 2015

Tooling:

Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____

Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3882

Rev A

100

0.00

100

Purchasing

Purchasing

Memo

0.00

PURCHASING

Issue P/O:

- 29913
- a) Extrude as per Dwg D3882
 - b) Material: 6061-T6 (QQ-A-200/8) OR ASTM B221
 - c) Minimum yield tensile strength = 35 ksi
 - d) Minimum ultimate tensile strength = 38 ksi
 - e) Minimum elongation = 8%
 - f) Order at 130" long
 - g) Bon L Canada Inc. tool #DAA-6
 - H Pull test to ASTM standard B221 required.
 - J) Material certification is required

***EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE
SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH
AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS,
OR DENTS.***

MUST BE WELL PACKAGE, IF NOT IT WILL BE REFUSE

6 150928

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 137403

Monday, September 28, 2015 1:15:51 PM

137403

Page 2

Item ID: D3882-1-130

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Extrusion "I" Beam

Stop ***NS2***

Start Date: 9/28/2015 Start Qty: 60.00

60

Cust Item ID:

Required Date: 9/28/2015 Req'd Qty: 60.00

60

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.02

Packaging

ENSURE C OF C IS ATTACH

65x 2015-10-27

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

65 15-10-29

130

Identify as per dwg & Stock Location: HALL

0.00

130

Packaging

Memo

0.01

Packaging

LOCATION : LG002

65 15-10-28 DCY/4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

137403

Page 3

N900040100

Setup Start *NS1*

Stop *NS2*

60

60

Reference:

Run Start *NR1*

Stop *NR2*

**Insp.
Stamp**

0.00

140

QC

Memo

0.10

Quality Control

ML5

NOV 19 2015

ms

NOV 19 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, September 28, 2015 1:15:54 PM

Page 1

Work Order ID: 137403

137403

Parent Item: D3882-1-130

D3882-1-130

Parent Item Name: Extrusion "I" Beam

Start Date: 9/28/2015

Required Date: 9/28/2015

Start Qty: 60.00

Required Qty: 60.00

Comments: IPP RevA: New issue DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3882-1-130P		Purchased			No		Each	0.0000		60			
D3882-1-130P										**			
EXTRUSION													

60x 8/15-10-27

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					



D3882-1 EXTRUSION

GENERAL NOTES:

1) MATERIAL: 6061-T6 PER QQ-A-200/8 OR ASTM B221
 MINIMUM TENSILE YIELD STRENGTH = 35 KSI
 MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
 MINIMUM ELONGATION = 8%

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO
 ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY
 TO ENSURE THAT THE BATCH MEETS THE ABOVE
 MINIMUM MECHANICAL PROPERTIES

- 2) BREAK ALL SHARP CORNERS 0.010 MAX
 3) ALL DIMENSIONS ARE IN INCHES
 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 5) PART NUMBER IS D3882-1-XXX WHERE XXX IS
 CUT LENGTH IN INCHES (EX. D3882-1-180 IS 180" LONG)
 6) D3882-1 EXTRUSION MANUFACTURED FROM: DIE # DAA-6

SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 137403 MGS
 1509-28

RELEASED
 09/01/23

A NEW ISSUE		RF 09.01.23	
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3882	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		EXTRUSION	NTS
DATE	09.01.23	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FOR ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;"></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																		
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																		
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																		
Large Fab ☐	Composite ☐	Supplier ☐																			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval																	
Description Work Order Deviation			Disposition																		
			Completed By																		
			Lead hand / Supervisor Approval Verification																		
			QC / QA Coordinator Approval																		
Root Cause		FAULT CATEGORY																			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																
OTHER :																					



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29913**

Purchase Order Date 9/28/2015 1:19:18 PM

PO Print Date 9/28/2015

Page Number 1 of 2

Order From :

VC-BON001

Ship To : DART AEROSPACE LTD

SIGNATURE ALUMINUM CANADA INC.
C/O/ T10322C
P.O. BOX 4488, STN A
TORONTO, ON M5W 4H1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905-427-6550

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D3882-1-130P EXTRUDE A SPER DWG D3882 REV. A B137403 EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS.***	EXTRUSION	10/19/2015 Yes 10/19/2015		60.00 Each	\$53.56	\$3,213.60
2	71401-45 Procurement Quality Clause	Procurement Quality Clause	10/19/2015 No 10/19/2015		1.00	\$0.00	\$0.00
Procurement Quality Clauses A005 right of entry A012 chemical and physical test report A016 personnel qualification A017 raw material identification (as applicable) A026 certification of material conformance A041 quality management system A042 dart notification by supplier A043 retention of quality documents							

recu 65x
SP15-10-27
Line Total: \$3,213.60

Note:

9/28/2015

Signature
aluminum
CANADA INC.

1850 Clements Road, Pickering Ontario, Canada L1W 3R8

Phone: (866) 587-5780 Fax: (905) 427-2207

Visit us at www.signaturealuminum.com

INVOICING AND COMPANY LOCATION

SIGNATURE ALUMINUM CANADA
1850 CLEMENTS ROAD
PICKERING ON L1W 3R8

PACKING LIST

ACCT# 46024

SHIP TO / EXPÉDIÉ À

DART AEROSPACE LTD.
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
CANADA

PHONE: 613-632-5200

SOLD TO / VENDUE À

DART AEROSPACE LTD.
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
CANADA

PHONE: 613-632-5200

TERMS / FREIGHT

PP

REFER TO
THESE NUMBERS ON
ALL CORRESPONDANCE

REFEREZ-VOUS A CES
NUMEROUS POUR TOUTE
CORRESPONDANCE

PACKING LIST DATE / DATE DU BODEREAU

10-26-15

PACKING LIST NUMBER / N° DE BODEREAU

023139

SALES ORDER NUMBER / N° DE COM

120672

CUSTOMER ID / ID DU CLIENT 46024		ORDER DATE / DE LA COM 09/28/15		CUSTOMER PO NUMBER / CLIENT PO Nombre PO29913			JOB / FICHIER		FIELD SALES REP / REP REGIONAL DES VENTES G.ATTENBOROU		CUST SERVICE REP / REP. SERVICE CLIENTELE M2A		
BILL OF LADING NUMBER / NO. DE CONNAISSEMENT 023139				CARRIER / TRANSPORTEUR WILRIDE									
ITEM NO. / NUMÉRO	ORIGINAL ORDER QUANTITY / Quantité d'ordre ORIGINAL	UNIT / UNITÉ	PREVIOUS SHIPPED QUANTITY / PRÉCÉDENT Quantité livrée	MFG. PART NUMBER / MFG. PARTIE NUMÉRO	ALLOY & TEMPER / ALLIAGE & TEMPER	FINISH DESCRIPTION / DESCRIPTION DE FINITION	NBR OF PKGS / NBR DE PKGS	GROSS LBS / LIVRES BRUT	NET QUANTITY / QUANTITÉ NETTE	UNIT / UNITÉ	QUANTITY DUE / Quantité en raison		
001	1,053	LB		DAA-6-1	6061 T6		1	1,113	1,087	LB			
	478	KG		D3882-1-130P	130.0000 IN			505	493	KG			
	60	PC			Cut(+): 0.1180 Cut(-): 0.0000	Min: -10 % Max: 10 %			65	PC			
							856861 / 280372	1	1,113	1,087	65	PC	

8/15-10-27

Transportation/Traffic damages and/or shortage claims are to be noted on the delivery copy of sellers shipping packing lists and signed and dated below by customers authorized representatives.
No return materials will be accepted for credit without permission. The articles and/or services covered by this shipping packing list were produced in accordance with the fair labor standards act of 1938 as amended. Order accepted subject to the terms and conditions stated on the reverse side.

CUSTOMER ACKNOWLEDGEMENT OF GOODS DELIVERED AND CONDITION

Page 1

DATE OF DELIVERY

DRIVER

1	1,113	1,087	LB
	505	493	KG
		65	PC
TOTALS			

CERTIFICATE OF COMPLIANCE

SIGNATURE ALUMINUM CANADA

1850 CLEMENTS RD
PICKERING, ON L1W 3R8

Cert Date	Cert No	Sales Order	Page
10/19/2015	5368093	120672	1
Cust PO	B/L No	Lot	Date
PO29913	023139	856861	10/26/15

Sold To		Ship To	
46024 DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 CANADA		46024 DART AEROSPACE LTD. 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 CANADA	
Item No	Part No	Item Description	Cust Part
001	DAA-6-1	130" MILL 6061 T6	D3882-1-130P
Gross Weight	1,113 LBS		
Net Qty	1,087 LBS		
Specification	65 PCS 1 PKGS		
ASTM B221-13		Die Desc	

Mechanical Tests:

Tensile	Yield			
MPA / KSI	MPA / KSI	% Elongation	Conductivity	HRE
313.8 / 45.5	286.2 / 41.5	10.4	N/A	94

SF 15-10-27

Chemical Analysis:

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	V	Zr
0.59	0.27	0.22	0.07	0.86	0.06	0.14	0.02	0.01	0.00

This Material is Made in Canada

This Material is RoHS Compliant

This will certify that the material described herein has been inspected and tested in accordance with Signature Aluminum Canada's standard sampling and testing procedures or in accordance with the requirements of any specification forming a part of the material description to the extent indicated herein. Data of chemical composition for the material and test results from samples representative of the material are set forth above hereof or in any attachments hereto. This information shows that the material meets the applicable requirements. Inspection and test records are maintained on file. This certificate shall be deemed apart of and subject to the terms and conditions of warranty set forth on the reverse side of our order acknowledgement form. No other warranties are applicable.

S. Mazzotta
Director of Quality
Signature Aluminum Canada Inc

ISO 9001/TS16949 Registered Company

Visit us at www.signaturealum.com